

References:

Further characterization of the lipoic acid enantiomers provide new research opportunities.

Stereochemistry, Pharmacokinetics & Metabolism:
Toward a Comprehensive Mechanism of Action

David Carlson – GeroNova Research Inc - 2008

Abdul HM, Butterfield DA. Involvement of PI3K/PKG/ERK1/2 signaling pathways in cortical neurons to trigger protection by cotreatment of acetyl-L-carnitine and alpha-lipoic acid against HNE-mediated oxidative stress and neurotoxicity: implications for Alzheimer's disease. *Free Radic Biol Med* (2007) Feb 42(3) 371-84.

Anderwald C, Koca G, Fürnsinn C, Waldhäusl W, Roden M. Inhibition of glucose production and stimulation of bile flow by R-(+)-alpha-lipoic acid enantiomer in rat liver. *Liver* (2002) 22 355-362.

Baker H, Deangelis B, Baker ER, Hutner SH. A practical assay of lipoate in biologic fluids and liver in health and disease. *Free Radic Biol Med* (1998) 25 473-479.

Biewenga GP, Guido RM, Bast A. An overview on lipoate chemistry. Chapter 1 in: *Lipoic Acid in Health and Disease*. Fuchs J, Packer L, Zimmer G, eds. NY: Marcel Dekker (1997) 1-32.

Breithaupt-Grögler K, Niebch G, Schneider E, Erb K, Hermann R, Blume HH, Schug BS, Belz GG. Dose-proportionality of oral thioctic acid – coincidence of assessments via pooled plasma and individual data. *Eur J Pharm Sci* (1999) 8 57-65.

Bucher G, Lu C, Sander W. The photochemistry of lipoic acid: photoionization and observation of a triplet excited state of a disulfide. *Chemphyschem* (2005) 6(12) 2607-18.

Cakatay U. Should it be safer to use a redox couple, both with (R)-alpha-lipoic acid combined with (R)-dihydrolipoic acid for avoiding prooxidant action of alpha-lipoic acid? *Med Hypotheses* (2007) 68 (5) 1178.

Cakatay U. Pro-oxidant actions of alpha-lipoic acid and dihydrolipoic acid. *Med Hypotheses* (2006) 66(1) 110-7.

Cakatay U, Kayali R. Plasma protein oxidation in aging rats after alpha-lipoic acid administration. *Biogerontology* (2005) 6(2) 87-93.

Cakatay U, Kayali R, Sivas A, Tekeli F. Prooxidant activities of alpha-lipoic acid on oxidative protein damage in the aging rat heart muscle. *Arch Gerontol Geriatr* (2005) 40(3) 231-40.

Carlson DA, Young KL, Fischer SJ, Ulrich H. An evaluation of the stability and plasma pharmacokinetics of R-lipoic acid (RLA) and R-dihydrolipoic acid (R-DHLA) dosage forms in human plasma from healthy volunteers. In: Packer L, Patel M, eds. *Alpha Lipoic Acid: Energy Production, Antioxidant Activity and Health Effects*. Boca Raton, London, New York: Taylor & Francis Publishers (2008) 235-270.

Carlson DA, Smith AR, Fischer SJ, Young KL, Packer L. The plasma pharmacokinetics of R-(+)-lipoic acid administered as sodium R-(+)-lipoate to healthy human subjects. *Altern Med Rev* (2007) 12(4) 343-51.

Chen J, Jiang W, Cai J, Tao W, Gao X, Jiang X. Quantification of lipoic acid in plasma by high-performance liquid chromatography-electrospray ionization mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* (2005) 824 249-257.

Cho KJ, Moini H, Shon HK, Chung AS, Packer L. Alpha-lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes. *Biochem Pharmacol* (2003) 66(5) 849-58.

Cho YS, Lee J, Lee TH, Lee EY, Lee KU, Park JY, Moon HB. alpha-Lipoic acid inhibits airway inflammation and hyperresponsiveness in a mouse model of asthma. *J Allergy Clin Immunol* (2004) 114(2) 429-35.

Dieter N, Madar Z, Tirosh O. Alpha-lipoic acid inhibits glycogen synthesis in rat soleus muscle via its oxidative activity and the uncoupling of mitochondria.

(2002) 132(10) 3001-6.

Diesel B, Kulhanek-Heinze S, Holtje M, Brandt B, Holtje HD, Vollmar AM, Kiemer AK. Alpha-lipoic acid as a directly binding activator of the insulin receptor: protection from hepatocyte apoptosis. *Biochemistry* (2007) 46(8) 2146-55.

Duprè S, Spoto G, Matarese RM, Orlando M, Cavallini D. Biosynthesis of lipoic acid in the rat: incorporation of ³⁵S- and ¹⁴C-labeled precursors. *Arch Biochem Biophys* (1980) 202(2) 361-5.

Duprè S, Spoto G, Solinas SP. Cysteine as precursor and sulfur donor in the biosynthesis of natural sulfur-containing compounds. *Prog Clin Biol Res* (1983) 125 343-53

Evans JL, Heymann CJ, Goldfine ID, Gavin LA. Pharmacokinetics, tolerability, and fructosamine-lowering effect of a novel, controlled-release formulation of alpha-lipoic acid. *Endocr Pract* (2002) 8 29-35.

Gal EM, Razevska DE. Studies on the in vivo metabolism of lipoic acid. 1. The fate of DL-lipoic acid-³⁵S in normal and thiamine-deficient rats. *Arch Biochem Biophys* (1960) 89 253-61.

Gal EM. Reversal of selective toxicity of (-)-alpha-lipoic acid by thiamine in thiamine-deficient rats. *Nature* (1965) 207 (996) 535.

Gleiter CH, Schug BS, Hermann R, Elze M, Blume HH, Gundert-Remy U. Influence of food intake on the bioavailability of thioctic acid enantiomers. *Eur J Clin Pharmacol* (1996) 50 513-514.

Günther S, Wallace L, Patzewitz EM, McMillan PJ, Storm J, Wrenger C, Bissett R, Smith TK, Müller S. Apicoplast Lipoic Acid Protein Ligase B Is Not Essential for *Plasmodium falciparum*. *PLoS Pathog* (2007) 3(12) e189.

Hagen TM, Ingersoll RT, Lykkesfeldt J, Liu J, Wehr CM, Vinarsky V, Bartholomew JC, Ames AB. (R)-alpha-lipoic acid-supplemented old rats have improved mitochondrial function, decreased oxidative damage, and increased metabolic rate. *FASEB J* (1999) 13(2) 411-8.

Hagen TM, Vinarsky V, Wehr CM, Ames BN. (R)-alpha-lipoic acid reverses the age-associated increase in susceptibility of hepatocytes to tert-butylhydroperoxide both in vitro and in vivo. *Antioxid Redox Signal* (2000) 2(3) 473-83.

Hagen TM, Moreau R, Suh JH, Visioli F. Mitochondrial decay in the aging rat heart: evidence for improvement by dietary supplementation with acetyl-L-carnitine and/or lipoic acid. *Ann N Y Acad Sci* (2002a) 959 491-507.

Hagen TM, Liu J, Lykkesfeldt J, Wehr CM, Ingersoll RT, Vinarsky V, Bartholomew JC, Ames BN. Feeding acetyl-L-carnitine and lipoic acid to old rats significantly improves metabolic function while decreasing oxidative stress. *Proc Natl Acad Sci U S A* (2002b) 99(4) 1870-5.

Haj-Yehia AI, Assaf P, Nassar T, Katzhendler J. Determination of lipoic acid and dihydrolipoic acid in human plasma and urine by high-performance liquid chromatography with fluorimetric detection. *J Chromatogr A* (2000) 870 381-388.

Han D, Hamilton RT, Lam PY, Packer L. Modulation of cellular redox and metabolic status by lipoic acid. Chapter 12 in: *Lipoic Acid: Energy Production, Antioxidant Activity and Health Effects*. Packer L, Patel M: eds. Boca Raton, London, New York. Taylor & Francis Publishers (2008) 293-314.

Hermann R, Niebch G. Human pharmacokinetics of -lipoic acid. Chapter 22 in: *Lipoic Acid in Health and Disease*. Fuchs J, Packer L, Zimmer G, eds. Basel, NY: Marcel Dekker (1997) 337-359.

Hermann R, Niebch G, Borbe HO. Enantioselective pharmacokinetics and bioavailability of different racemic -lipoic acid formulations in healthy volunteers. *Eur J Pharm Sci* (1996) 4 167-174.

Kiemer AK, Diesel B. Activation of cytoprotective signaling pathways by alpha-lipoic acid. Chapter 18 in: *Lipoic Acid: Energy Production, Antioxidant Activity and Health Effects*. Packer L, Patel M: eds. Boca Raton, London, New York. Taylor & Francis Publishers (2008) 439-460.

Kim HJ, Park KG, Yoo EK, Kim YH, Kim YN, Kim HS, Kim HT, Park JY, Lee KU, Jang WG, Kim JG, Kim BW, Lee IK. Effects of PGC-1alpha on TNF-alpha-induced MCP-1 and VCAM-1 expression and NF-kappaB activation in human aortic smooth muscle and endothelial cells. *Antioxid Redox Signal* (2007) 9(3) 301-7.

Kim MS, Park JY, Namkoong C, Jang PG, Ryu JW, Song HS, Yun JY, Namgoong IS, Ha J, Park IS, Lee IK, Viollet B, Youn JH, Lee HK, Lee KU. Anti-obesity effects of alpha-lipoic acid mediated by suppression of hypothalamic AMP-activated protein kinase. *Nat Med* (2004) 10(7) 727-33.

Kis K, Meier T, Multoff G, Issels RD. Lipoate Modulation of Lymphocyte cysteine uptake. Chapter 7 in: *Lipoic Acid in Health and Disease*. Fuchs J, Packer L, Zimmer G, eds. Basel, NY: Marcel Dekker (1997) 113-130.

Konrad D. Utilization of the insulin-signaling network in the metabolic actions of alpha-lipoic acid-reduction or oxidation? *Antioxid Redox Signal* (2005) 7(7-8) 1032-9.

Krone D. The pharmacokinetics and pharmacodynamics of R-(+)-alpha lipoic acid. PhD thesis. Johann Wolfgang Goethe University, Frankfurt am Main, Germany (2002). <http://publikationen.ub.unifrankfurt.de/volltexte/2003/239/>

Kulhanek-Heinz S. Characterization of Anti-apoptotic signaling pathways in heptaocytes activated by R-alpha lipoic Acid and atrial Natriuretic Peptide, Ph.D. Dissertation Ludwig-Maximilians-University of Munich (2004).

Kumaran S, Panneerselvam KS, Shila S, Sivarajan K, Panneerselvam C. Age-associated deficit of mitochondrial oxidative phosphorylation in skeletal muscle: role of carnitine and lipoic acid. *Mol Cell Biochem* (2005) 280(1-2) 83-9.

Kumaran S, Savitha S, Anusuya Devi M, Panneerselvam C. L-carnitine and DL-alpha-lipoic acid reverse the age-related deficit in glutathione redox state in skeletal muscle and heart tissues. *Mech Ageing Dev* (2004) 125(7) 507-12.

Lang G. In Vitro Metabolism of a-Lipoic Acid Especially Taking Enantioselective Biotransformation into Account. Ph.D. Thesis, University of Münster, Münster, Germany (1992).

Lee Y, Naseem RH, Park BH, Garry DJ, Richardson JA, Schaffer JE, Unger RH. Alpha-lipoic acid prevents lipotoxic cardiomyopathy in acyl CoA-synthase transgenic mice. *Biochem Biophys Res Commun* (2006) 344(1) 446-52.

Lee WJ, Lee IK, Kim HS, Kim YM, Koh EH, Won JC, Han SM, Kim MS, Jo I, Oh GT, Park IS, Youn JH, Park SW, Lee KU, Park JY. Alpha-lipoic acid prevents

endothelial dysfunction in obese rats via activation of AMP-activated protein kinase. *Arterioscler Thromb Vasc Biol* (2005) 25(12) 2488-94.

Lee WJ, Song KH, Koh EH, Won JC, Kim HS, Park HS, Kim MS, Kim SW, Lee KU, Park JY. Alpha-lipoic acid increases insulin sensitivity by activating AMPK in skeletal muscle. *Biochem Biophys Res Commun* (2005) 332(3) 885-91.

Liu J, Atamna H, Kuratsune H, Ames BN. Delaying brain mitochondrial decay and aging with mitochondrial antioxidants and metabolites. *Ann N Y Acad Sci* (2002) 959 133-66.

Liu J, Head E, Gharib AM, Yuan W, Ingersoll RT, Hagen TM, Cotman CW, Ames BN. Memory loss in old rats is associated with brain mitochondrial decay and RNA/DNA oxidation: partial reversal by feeding acetyl-L-carnitine and/or R-alpha -lipoic acid. *Proc Natl Acad Sci U S A* (2002) 99(4) 2356-61.

Liu J, Killilea DW, Ames BN. Age-associated mitochondrial oxidative decay: improvement of carnitine acetyltransferase substrate-binding affinity and activity in brain by feeding old rats acetyl-L- carnitine and/or R-alpha -lipoic acid. *Proc Natl Acad Sci U S A* (2002) 99(4) 1876-81.

Lykkesfeldt J, Hagen TM, Vinarsky V, Ames BN. Age-associated decline in ascorbic acid concentration, recycling, and biosynthesis in rat hepatocytes-- reversal with (R)-alpha-lipoic acid supplementation. *FASEB J* (1998) 12(12) 1183-9.

May JM, Qu ZC, Nelson DJ. Cellular disulfide-reducing capacity: an integrated measure of cell redox capacity. *Biochem Biophys Res Commun* (2006) 344(4) 1352-9.

Morikawa T, Yasuno R, Wada H. Do mammalian cells synthesize lipoic acid? Identification of a mouse cDNA encoding a lipoic acid synthase located in mitochondria. *FEBS Lett* (2001) 498(1) 16-21.

Muller C. alpha lipoic acid attenuates ischemia-reperfusion injury of the art liver: mechanisms of protection. Ph.D. thesis. Chemistry & Pharmacy Department Ludwig-Maximillan University, Munich (2002).

Nakamura T, Kusunoki T, Konishi S, Kato H, Mibu A.

Studies on the metabolism of alpha-lipoic acid in childhood. 3. Effect of dietart composition and anboli steroid. J Vitaminol (1965) 11 60-7 Kyoto.

Nakamura T, Kusunoki T, Konishi S, Kato H, Mibu A. Studies on the metabolism of alpha-lipoic acid in childhood. I. Effect of protein and amino acid composition in the diet on the biosynthesis of protein bound lipoic acid. J Vitaminol (1965) 11 37-44 Kyoto.

Ogborne RM, Rushworth SA, O'Connell MA. alpha-lipoic acid-induced heme oxygenase-1 expression is mediated by nuclear factor erythroid 2-related factor 2 and p38 mitogen-activated protein kinase in human monocytic cells. Arterioscler Thromb Vasc Biol (2005) 25(10) 2100-5.

Oksala NK, Lappalainen J, Laaksonen DE, Khanna S, Kaarniranta K, Sen CK, Atalay M. Alpha-lipoic Acid modulates heat shock factor-1 expression in streptozotocin-induced diabetic rat kidney. Antioxid Redox Signal (2007) 9(4) 497-506.

Oksala NK, Laaksonen DE, Lappalainen J, Khanna S, Nakao C, Hanninen O, Sen CK, Atalay M. Heat shock protein 60 response to exercise in diabetes: effects of alpha-lipoic acid supplementation. J Diabetes Complications (2006) 20(4) 257-61.

Pershadsingh HA. Alpha-lipoic acid: physiologic mechanisms and indications for the treatment of metabolic syndrome. Expert Opin Investig Drugs (2007) 16(3) 291-302.

Pershadsingh HA, Ho CI, Rajaman J, Lee C, Chittiboyina AG, Deshpande R, Kurtz TW, Chan JY, Avery MA, Benson SC. a-Lipoic Acid is a Weak Dual PPARa/g Agonist: An Ester Derivative with Increased PPARa/g Efficacy and Antioxidant Activity. J Applied Res (2005) 5 510-23.

Peter G, Borbe HO. Absorption of [7, 8-14C]rac-a-lipoic acid from in situ ligated segments of the gastrointestinal tract of the rat. Arzneimittelforschung (1995) 45(3) 293-9.

Petersen-Shay K, Shenvi S, Hagen TM. Lipoic acid as an inducer of phase II detoxification enzymes through activation of Nr-f2 dependent gene expression. Chapter 14 in: Lipoic Acid: Energy Production, Antioxidant Activity and Health Effects. Packer L, Patel M, eds. Boca Raton, London, England: Taylor & Francis Publishers (2008) 349-371.

Preiss R, Teichert J, Preiss C. On the pharmacokinetics of alpha-lipoic acid in patients with diabetic polyneuropathy. Germany Diabetes und Stoffwechsel (1996) 5 17-22 (German).

Raddatz G, Bisswanger H. Receptor site and stereospecificity of dihydrolipoamide dehydrogenase for R- and S-lipoamide: a molecular modeling study. Journal of Biotechnology (1997) 58(2) 89-100.

Rosak C, Hoffken P, Baltus W, Drinda H, Ulrich H, Tritschler HJ, Elze M, Blume H; Studies on the bioavailability of alpha lipoic acid in type I and type II diabetics with diabetic neuropathy. Diabetes und Stoffwechsel (Germany). 5/3 SUPPL. (1996) 23-26.

Savitha S, Naveen B, Panneerselvam C. Carnitine and lipoate ameliorates lipofuscin accumulation and monoamine oxidase activity in aged rat heart. Eur J Pharmacol (2007) 574(1) 61-5.

Savitha S, Panneerselvam C. Mitigation of age-dependent oxidative damage to DNA in rat heart by carnitine and lipoic acid. Mech Ageing Dev (2007) 128(2) 206-12.

Savitha S, Panneerselvam C. Mitochondrial membrane damage during aging process in rat heart: potential efficacy of L-carnitine and DL alpha lipoic acid. Mech Ageing Dev (2006) 127(4) 349-55.

Savitha S, Sivarajan K, Haripriya D, Kokilavani V, Panneerselvam C. Efficacy of levo carnitine and alpha lipoic acid in ameliorating the decline in mitochondrial enzymes during aging. Clin Nutr (2005) 24(5) 794-800.

Savitha S, Tamilselvan J, Anusuyadevi M, Panneerselvam C. Oxidative stress on mitochondrial antioxidant defense system in the aging process: role of DL-alpha-lipoic acid and L-carnitine. Clin Chim Acta (2005) 355(1-2) 173-80.

Sen CK, Roy S, Khanna S, Packer L. Determination of oxidized and reduced lipoic acid using high-performance liquid chromatography and coulometric detection. Methods Enzymol (1999) 299 239-46.

Sen CK, Roy S, Khanna S. Oxidative Stress and Aging: Advances in Basic Science, Diagnostics and Intervention. Chapter 45 in Critical reviews. Cutler RG and

Rodriguez H, eds. World Scientific Publishing Co. Pte. Ltd. Singapore, New Jersey & London (2003) 1 759-783

Schepkin V, Kawabata T, Packer L. NMR study of lipoic acid binding to bovine serum albumin. *Biochem Mol Biol Int.* (1994) 33(5) 879-86.

Schupke H, Hempel R, Peter G, Hermann R, Wessel K, Engel J, Kronbach T. New metabolic pathways of alpha-lipoic acid. *Drug Metab Dispos.* (2001) 29(6) 855-62.

Shen QW, Zhu MJ, Tong J, Ren J, Du M. Ca²⁺/calmodulin-dependent protein kinase kinase is involved in AMP-activated protein kinase activation by alpha-lipoic acid in C2C12 myotubes. *Am J Physiol Cell Physiol* (2007) 293(4) C1395-403.

Shigeta Y, Hiraizumi G, Wada M, Oji K, Yoshida T. Study on the serum level of thioctic acid in patients with various diseases. *J Vitaminology.* (1961) 7 48-52.

Smith AR, Shenvi SV, Widlansky M, Suh JH, Hagen TM. Lipoic acid as a potential therapy for chronic diseases associated with oxidative stress. *Curr Med Chem* (2004) 11(9) 1135-46.

Sola S, Mir MQ, Cheema FA, Khan-Merchant N, Menon RG, Parthasarathy S, Khan BV. Irbesartan and lipoic acid improve endothelial function and reduce markers of inflammation in the metabolic syndrome: results of the Irbesartan and Lipoic Acid in Endothelial Dysfunction (ISLAND) study. *Circulation* (2005) 111(3) 343-8.

Sola S, Qasim S, Parthasarathy S, Khan B. Effects of irbesartan and lipoic acid on endothelial function and serum inflammatory markers in patients with the metabolic syndrome. *JACC* (2004) 1027-1794.

Suh JH, Moreau R, Heath SH, Hagen TM. Dietary supplementation with (R)-alpha-lipoic acid reverses the age-related accumulation of iron and depletion of antioxidants in the rat cerebral cortex. *Redox Rep* (2005) 10(1) 52-60.

Suh JH, Shenvi SV, Dixon BM, Liu H, Jaiswal AK, Liu RM, Hagen TM. Decline in transcriptional activity of Nrf2 causes age-related loss of glutathione synthesis, which is reversible with lipoic acid. *Proc Natl Acad Sci U S A* (2004) 101(10) 3381-6.

Suh JH. Antioxidant mechanisms of ascorbate and R-alpha lipoic acid in aging and transition metal ion-mediated oxidative stress. Ph.D. Thesis. Linus Pauling Institute, Oregon State University (2004).

Suh JH, Shigeno ET, Morrow JD, Cox B, Rocha AE, Frei B, Hagen TM. Oxidative stress in the aging rat heart is reversed by dietary supplementation with (R)-(alpha)-lipoic acid. *FASEB J* (2001) 15(3) 700-6.

Suh JH, Wang H, Liu RM, Liu J, Hagen TM. (R)-alpha-lipoic acid reverses the age-related loss in GSH redox status in post-mitotic tissues: evidence for increased cysteine requirement for GSH synthesis. *Arch Biochem Biophys* (2004) 423(1) 126-35.

Takenouchi K, Aso K, Utsumi K. Excretion of 35S after injection of LA-35S in normal persons & eczema patients. *Bitamin* (1963) 27(1) 33-9.

Takenouchi K, Aso K, Kawashima S. Studies on the metabolism of thioctic acid in skin diseases. (II). Loading test of thioctic acid in various skin diseases. *J Vitaminology* (1962) 8 99-114

Teichert J, Preiss R. Pharmacokinetics, Metabolism, and renal excretion of alpha-lipoic acid and its metabolites in humans. Chapter 9 in: *Lipoic Acid: Energy Production, Antioxidant Activity and Health Effects*. Packer L, Patel M, eds. Boca Raton, London, New York. Taylor & Francis Publishers (2008) 271-292.

Teichert J, Preiss R. High-performance liquid chromatography methods for determination of lipoic and dihydrolipoic acid in human plasma. *Methods Enzymol* (1997) 279 159-166.

Teichert J, Hermann R, Ruus P, Preiss R. Plasma kinetics, metabolism, and urinary excretion of alpha-lipoic acid following oral administration in healthy volunteers. *J Clin Pharmacol* (2003) 43 1257-1267.

Teuber L. Naturally Occurring 1, 2-Dithiolanes and 1,2,3-Trithianes. *Chemical & Biological Properties*. *Sulfur Reports* (1990) 94(4) 257-349.

Totskii VN. Mechanisms and ways of regulation of lipoic acid penetration into biological structures. *Biokhimiia* (1976) 41(6) 1094-105 (Russian).

Trivedi RK, Kallem RR, Mamidi RN, Mullangi R, Srinivas NR. Determination of lipoic acid in rat plasma by LC-MS/MS with electrospray ionization: assay development, validation and application to a pharmacokinetic study. *Biomed Chromatogr* (2004) 18(9) 681-6.

Wada M, Hiraizumi G, Shigeta Y. The urinary excretion and serum levels of alpha-lipoic acid in patients with several diseases. *Maikurobiossei* (1960) 1 53-55.

Walgren JL, Amani Z, McMillan JM, Locher M, Buse MG. Effect of R(+)-alpha-lipoic acid on pyruvate metabolism and fatty acid oxidation in rat hepatocytes. *Metabolism* (2004) 53 165-173.

Wessner B, Strasser EM, Manhart N, Roth E. Supply of R-alpha-lipoic acid and glutamine to casein-fed mice influences the number of B lymphocytes and tissue glutathione levels during endotoxemia. *Wien Klin Wochenschr* (2006) 118 (3-4) 100-7.

Williams RH, Maggiore JA, Reynolds RD, Helgason CM. Novel approach for the determination of the redox status of homocysteine and other aminothiols in plasma from healthy subjects and patients with ischemic stroke. *Clin Chem* (2001) 47 1031-1039.

Yadav V, Marracci G, Lovera J, Woodward W, Bogardus K, Marquardt W, Shinto L, Morris C, Bourdette D. Lipoic acid in multiple sclerosis: a pilot study. *Mult Scler* (2005) 11(2) 159-65.

Yaworsky K, Somwar R, Ramlal T, Tritschler HJ, Klip A. Engagement of the insulin-sensitive pathway in the stimulation of glucose transport by alpha-lipoic acid in 3T3-L1 adipocytes. *Diabetologia* (2000) 43(3) 294-303.

Zimmer G, Mainka L, Ulrich H. ATP synthesis and ATPase activities in heart mitochondria under influence of R- and S-enantiomers of lipoic acid. *Methods Enzymol* (1995) 251 332-40.

Zimmer G. Overview of the role of lipoate in the enzyme complexes of energy metabolism and reducing equivalents. Chapter 4 in: *Lipoic Acid in Health and Disease*. Fuchs J, Packer L, Zimmer G, Dekker M: eds. (1997) 67-86.

